



# TECHOD

P.O.Box 35 197  
Browns Bay, Auckland 0753  
Free phone 0800 777 066  
Fax 09 476 6491  
Email: info@techod.co.nz  
Web site: www.techod.co.nz

## DATASHEET

# A675P (Implant Power)


# ZeniPower®

### SPECIFICATIONS:




(top view) (bottom view)

### Industry Standard Dimensions



- Chemical System:** Zinc Air (Zn/O<sub>2</sub>)
- Identification:** IEC-PR44
- Tab Color:** Blue
- Build Standard:** IEC 60086-1:2000, IEC 60086-2:2000
- Nominal Voltage:** 1.4 Volts
- Capacity:** 550 mAh (to 0.9 volts)  
(Rated at 100 ohms at 25°C/ 60%RH)
- Available Current:** 30 mA(at 1.1 volts)
- Tab Sealing Arrangements:** On Cathode Can. See picture above.
- Capacity Retention:** > 85%(after 3 years)
- Shelf Life:** 3 years
- Operation Temp:** 0°C to 50°C
- Typical Weight:** 1.82 grams (0.06 oz.)
- Typical Volume:** 0.56 cubic centimeters  
(0.034 cubic inch)
- Impedance:** ≤ 2.2 ohms (at AC 1000Hz)

### Construction



DISCHARGE CHARACTERISTICS AT 100Ω 25°C 60%RH  
(Discharged 24 hours/day)

